

# Chloro Toluene (P-)

Part No. RXSOL-19-1275-025 — Generated 29 Sep 2026

## 1. Product and Company Identification

Product Name Chloro Toluene (P-)  
Part Number RXSOL-19-1275-025

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmraine.com](http://www.rxmraine.com)

## 2. Composition / informationon ingredients

| Chemical Name   | CAS      | EC number | Weight  | Formula                          |
|-----------------|----------|-----------|---------|----------------------------------|
| P-Chlorotoluene | 106-43-4 | 203-397-0 | = 100 % | C <sub>7</sub> H <sub>7</sub> Cl |

## 3. Hazards Identification

|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                                    | Warning                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Hazard Statements                              | H226 Flammable liquid and vapor. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects.                                                                                                                                                                                                                                                                                                                                              |
| P280 Wear protective gloves.P305 + P351 + P338 | Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                                                                                                                                                                                                                                                                                       |
| Precautionary statements response              | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P273 Avoid release to the environment. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. |
| Classification of the substance or mixture     | Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.                                                                                                                                                                                                                                                                                                                                                                              |
| Supplemental Hazard Statements                 | None                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other hazards                                  | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                                                                                                                                                                                                                                                           |

## 4. First Aid Measures

General advice Show this material safety data sheet to the doctor in attendance.

|                                                                            |                                                                                                                                                            |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                                 | After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.   |
| Eye Contact                                                                | After eye contact: rinse out with plenty of water. Remove contact lenses.                                                                                  |
| Swallowed                                                                  | After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.                                                         |
| Skin Contact                                                               | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.                                                    |
| Inhalation                                                                 | Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.                                                                |
| Ingestion                                                                  | Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately. |
| Most important symptoms and effects, both acute and delaye                 | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11                                        |
| Indication of any immediate medical attention and special treatment needed | No data available                                                                                                                                          |

## 5. Fire-fighting Measures

|                                                       |                                                                                                                                                                                                                                                           |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flammability                                          | May be combustible at high temperature.                                                                                                                                                                                                                   |
| Flash Point                                           | Higher than 93.3°C (200°F).                                                                                                                                                                                                                               |
| Suitable extinguishing media                          | Water Foam Carbon dioxide (CO2) Dry powder                                                                                                                                                                                                                |
| Unsuitable extinguishing media                        | For this substance/mixture no limitations of extinguishing agents are given.                                                                                                                                                                              |
| Special hazards arising from the substance or mixture | Carbon oxides Hydrogen chloride gas Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire. |
| Further information                                   | Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.                                     |
| Hazardous combustion products                         | Fire may cause the evolution of Sulphur oxides, nitrogen oxides.                                                                                                                                                                                          |
| Advice for firefighters                               | In the event of fire, wear self-contained breathing apparatus.                                                                                                                                                                                            |
| Protective Equipment                                  | Use personal protective equipment.                                                                                                                                                                                                                        |
| Specific Hazards Arising from the Chemical            | Has a fire-promoting effect due to the release of oxygen.<br>Ambient fire may liberate hazardous vapours.                                                                                                                                                 |

## 6. Accidental Release Measures

|                                                                     |                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.                                               |
| Spillage                                                            | Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal. |
| Personal Protection                                                 | Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.                                                                                                                          |
| Enviromental Precaution                                             | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                     |

|                                                    |                                                                                                                                                                                                                           |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods and materials for containment and cleaning | Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area. |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 7. Handling and Storage

|                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling                                      | Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Advice on protection against fire and explosion              | Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Incompatible materials                                       | Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Hygiene measures                                             | Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Precautions for safe handling                                | For precautions see section 2.2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Conditions for safe storage, including any incompatibilities | Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Storage conditions                                           | Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Storage class                                                | Storage class (TRGS 510): 3: Flammable liquids                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Specific end use(s)                                          | Apart from the uses mentioned in section 1.2 no other specific uses are stipulated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Handling                                                     | Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals |
| Advice on general occupational hygiene                       | Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Requirements for storage                                     | Keep in cool and store under shade.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## 8. Exposure controls and personal protection

|                     |                                                                                                                                                                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exposure controls   | No specific additional engineering controls are required. Provide good natural or artificial ventilation.                                                                                                                                                                       |
| Engineering Control | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. |
| Eye/face protection | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses                                                                                                                                    |
| Body Protection     | Flame retardant antistatic protective clothing.                                                                                                                                                                                                                                 |

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin protection                   | This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 10 min Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M) |
| Respiratory protection            | Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Protection Measure          | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Control of environmental exposure | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Thermal hazards                   | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## 9. Physical and chemical properties

|                                              |                                         |
|----------------------------------------------|-----------------------------------------|
| Physical state                               | Liquid, clear                           |
| Colour                                       | Light yellow                            |
| Odour                                        | Ammonia odor                            |
| Odor Threshold                               | Not Applicable                          |
| pH                                           | ca.4 at 200 g/l at 20 °C                |
| Melting Point                                | 48 °C - lit.                            |
| Boiling Point                                | 160 - 162 °C - lit.                     |
| Flash Point                                  | 52 °C - closed cup                      |
| Evaporation Rate                             | Not Applicable                          |
| Flammability (solid, gas)                    | No data available                       |
| Explosive limits                             | No Data Available                       |
| Upper/lower flammability or explosive limits | Not Applicable                          |
| Autoignition temperature                     | Not Applicable                          |
| Decomposition temperature                    | No data available                       |
| Viscosity, dynamic                           | Not Applicable                          |
| Vapour pressure                              | Not Applicable                          |
| Density                                      | 1,072 g/cm <sup>3</sup> at 25 °C - lit. |
| Vapour Density                               | Not Applicable                          |
| Freezing point                               | No data available                       |
| Specific Gravity                             | No data available                       |
| Partition coefficient                        | Not Applicable                          |
| Explosive properties                         | No data available                       |
| Solubility                                   | Not Applicable                          |

Ignition temperature  
Particle characteristics

No information available.  
No data available

## 10. Stability and reactivity

|                                    |                                                                                           |
|------------------------------------|-------------------------------------------------------------------------------------------|
| Reactivity                         | Vapor/air-mixtures are explosive at intense warming.                                      |
| Stability                          | The product is chemically stable under standard ambient conditions (room temperature) .   |
| Possibility of hazardous reactions | Violent reactions possible with: Strong oxidizing agents Alkali metals dimethyl sulfoxide |
| Conditions to avoid                | Heating.                                                                                  |
| Incompatible materials             | Rubber                                                                                    |
| Hazardous Polymerization           | In the event of fire: see section 5                                                       |

## 11. Toxicological information

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity                                   | Oral: No data available LC50 Inhalation - 4 h - 11 mg/l - vapor Dermal: No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Skin corrosion/irritation                        | Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Serious eye damage/eye irritation                | Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Respiratory or skin sensitization                | Local lymph node assay (LLNA) - Guinea pig Result: negative (OECD Test Guideline 429)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Toxic Effects on Human                           | May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Carcinogenicity                                  | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Germ cell mutagenicity                           | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Reproductive toxicity                            | May damage the unborn child.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Specific target organ toxicity - single exposure | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Special Remarks on other Toxi Effects on Humans  | Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism. |
| Endocrine disrupting properties                  | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.                                                                                                                                                                                                                                                                                                                      |

## 12. Ecological information

|                               |                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------|
| Persistence and degradability | No data available                                                                   |
| Toxicity to fish              | Static test LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h (DIN 38412 T15) |

|                                                     |                                                                                                                                                                                                                                                             |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | Static test EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)                                                                                                                                                |
| Toxicity to algae                                   | Static test ErC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h (DIN 38412)                                                                                                                                                                   |
| Products Biodegradation                             | The methods for determining the biological degradability are not applicable to inorganic substances.                                                                                                                                                        |
| Mobility in soil                                    | No Information available                                                                                                                                                                                                                                    |
| Results of PBT and vPvB assessment                  | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                                                          |
| Endocrine disrupting properties                     | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Other adverse effects                               | No data available                                                                                                                                                                                                                                           |

### 13. Disposal considerations

|                        |                                                                                                                                                                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal methods       | The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.                                                                           |
| Contaminated packaging | Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials. |
| Waste treatment Method | See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions.                                                                                                                                            |

### 14. Transport information

|                                                |                                                                         |
|------------------------------------------------|-------------------------------------------------------------------------|
| UN number                                      | ADR/RID: 2238    IMDG: 2238    IATA: 2238                               |
| UN proper shipping name                        | ADR/RID: Chlorotoluenes    IMDG: Chlorotoluenes    IATA: Chlorotoluenes |
| Transport hazard class(es)                     | ADR/RID: 3    IMDG: 3    IATA: 3                                        |
| Packaging group                                | ADR/RID: III    IMDG: III    IATA: III                                  |
| Environmental hazards                          | ADR/RID: No    IMDG: No    IATA: No                                     |
| Special precautions for user                   | Tunnel restriction code : (C/E)                                         |
| Further information                            | Not classified as dangerous in the meaning of transport regulations.    |
| Transport in bulk according to IMO instruments | No data available                                                       |

### 15. Regulatory information

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inventory status                                                                               | Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65. |
| Safety, health and environmental regulations/legislation specific for the substance or mixture | This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006                                                                                                                                                                                                                                                                                                                                                 |

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Safety, health and environmental regulations specific for the product in question | European Inventory of Existing Commercial Chemical Substances (EINECS) -Listed.EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals (NZIoC)Listed. PICCS -Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed. |
| National legislation                                                              | Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : ENVIRONMENTAL HAZARDS : FLAMMABLE LIQUIDS                                                                                                                                                                                                       |
| Other regulations                                                                 | Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.                                                                                                                                                                                           |
| Chemical Safety Assessment                                                        | A Chemical Safety Assessment has been carried out for this substance.                                                                                                                                                                                                                                                                                                                                     |

## 16. Other information

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Information | <p>The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.</p> <p>DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.</p> |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|