

DICHLORO METHANE

Part No. RXSOL-19-1113-025 — Generated 29 Sep 2026

1. Product and Company Identification

Product Name RXSOL-19-1113-025

Product Type Dichloro Methane

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Kandla, Mumbai, Chennai, Kolkata, Visakhapatnam, Fujairah, Muscat

Phone +91 22 27815541 / 42 / 43

Fax +91 22 2781 1318 ::::AOH :0091 9821214367

Email mail@rxmarine.com

2. Composition / informationon ingredients

Chemical Name	CAS Number	EC Number	Index number
Dichloro Methane	75-09-2	200-838-9	602-004-00-3

3. Hazards Identification

Hazard description:

Information concerning particular hazards for human and environment: R 40 Limited evidence of a carcinogenic effect.

4. First Aid Measures

After inhalation	Supply fresh air; consult doctor in case of complaints.
After skin contact	Generally the product does not irritate the skin.
After eye contact	Rinse opened eye for several minutes under running water.
After swallowing	If symptoms persist consult doctor.

5. Fire-fighting Measures

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: No special measures required.

6. Accidental Release Measures

Person-related safety precautions: Not required.

Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7. Handling and Storage

Handling:

Information for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

8. Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

PEL (USA)	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL (USA)	LFC 174 mg/m ³ , 50 ppm BEI
TLV (USA)	Short-term value: 1060 mg/m ³ , 300 ppm
WEL (Great Britain)	Long-term value: 350 mg/m ³ , 100 ppm SK

Additional information: The lists valid during the making were used as basis.

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

9. Physical and chemical properties

General Information

Form

Fluid

Colour	Colourless
Odour	Like chlorine
Change in condition	
Melting point/Melting range	-95.1°C
Boiling point/Boiling range	40°C
Flash point	Not applicable.
Danger of explosion	Product does not present an explosion hazard.

Explosion limits:

Lower	13 Vol %
Upper	22 Vol %
Vapour pressure at 20°C	453 hPa
Density at 20°C	1.33 g/cm ³
Solubility in / Miscibility with water at 20°C	20 g/l

Viscosity:

Dynamic at 22°C	0.43 mPas
-----------------	-----------

10. Stability and reactivity

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous reactions No dangerous reactions known.

Dangerous decomposition products: No dangerous decomposition products known.

11. Toxicological information

Acute toxicity:

LD/LC50 values relevant for classification:

Oral	LD50	1600mg/kg (rat)
Inhalative	LC50/4 h	88 mg/l (rat)

Primary irritant effect:

on the skin	No irritant effect.
on the eye	No irritating effect.
Sensitization	No sensitizing effects known.

12. Ecological information

General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13. Disposal considerations

Product:

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. Transport information

Land transport ADR/RID (cross-border)

ADR/RID class	6.1 Toxic substances.
Danger code (Kemler)	60
UN-Number	1593
Packaging group	III
Hazard label	6.1
Description of goods	1593 DICHLOROMETHANE

Maritime transport IMDG

IMDG Class	6.1
UN Number	1593
Label	6.1
Packaging group	III
EMS Number	F-A,S-A
Marine pollutant	No
Proper shipping name	DICHLOROMETHANE

Air transport ICAO-TI and IATA-DGR

ICAO/IATA Class	6.1
UN/ID Number	1593
Label	6.1
Packaging group	III
Proper shipping name	DICHLOROMETHANE

15. Regulatory information

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:**• Risk phrases:**

40 Limited evidence of a carcinogenic effect.

• Safety phrases:

2 Keep out of the reach of children.

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

24/25 Avoid contact with skin and eyes.

36/37 Wear suitable protective clothing and gloves.

16. Other information

The information above is believed to be accurate and represents the best information currently available to us. However, we

make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability

resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

In no event shall **Rx Marine International** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect,

incidental, consequential or exemplary damages, howsoever arising, even if **Rx Marine International** has been advised of the possibility

of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This document was generated automatically and may not reflect the latest formulation or regulatory revision. For the most up-to-date, accurate MSDS, please email us at muscatchem@gmail.com.