

Marine Clean BULK HC P

Part No. RXSOL-22-2010-220 — Generated 29 Sep 2026

1. Product and Company Identification

Product Name RXSOL-22-2010-0220
Product Type Marine Clean Bulk HCP Alkaleen Heavy Duty 210 Ltr

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Canada, Muscat, Fujairah, Kenya Mombasa, Mumbai, Gandhidham, Kolkata, Vizag, Chennai

Phone +91 22 27815540 / 41 / 42
Fax +91 22 2781 1318 AOH :0091 9821214367
Email **mail@rxmarine.com**
Website www.rxmarine.com

2. Composition / informationon ingredients

SURFACTANT (ANIONIC & NON-IONIC) , LAB , Alkaline hydroxide Strong alkaline cleaner Declaration according recommendation 89/542/EEG.
chelating agents, meta silicate and additives (biodegradable > 90%)

Water, Silicate, Isotridecanoethoxylate, Organic compound.
HAZARDOUS INGREDIENTS:
CAS NO. EINECS NO. CHEMICAL NAME WT % SYMBOL R-PHRASES
1310-58-3 2151855 Potassium hydroxide 15 - 20 C 35
6834-92-0 2299129 Disodium metasilicate 1 - 5 C 34,37
9043-30-5 Polymer Isotridecanoethoxylate 1 - 5 Xn 22, 41
Refer to section 16 for descriptions of relevant risk phrases and Notas.

*See Section 16

3. Hazards Identification

Environmental Hazards None

Human Health Hazards R 35:Causes skin burning effects

4. First Aid Measures

Inhalatin NO Fumes, Harmful supply or remove to fresh air and seek medical advice attention.

Skin Contact	Rinse with running water and soap. Skin care. Remove contaminated clothes.
Eye Contact	Flush with running water for at least 15 minutes Immediately .
Ingestion	Vomiting is dangerous , seek medical attention.

5. Fire-fighting Measures

Non Combustible Porduct

Suitable	N.A. can use foam dry Co2 , water-spray.
Not suitable	Not applicable
Special	Not applicable
Protection of fire Fighter	Not applicable

Special protective equipment for fire-fighters: Wear protective equipment.

6. Accidental Release Measures

Enviromental Precaution	Direct flow into drainage system, surface or ground water is prohibited.
Cleaning Method	Flush Spill Area with Water and remove with liquid-absorbing material like foam sand,sawdust etc..

7. Handling and Storage

Condition to Avoid	Non flammable but avoid direct heating
Materials to Avoid	Do not subject to Acidic / Oxidizing Agents
Handling	Keep Container Tightly Closed

Note:Eyewash facilities require at workplace The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser .
For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. •Dilute in water (always use plastic jar)

8. Exposure controls and personal protection

Personal protection :

Respiratory System Protection Approved respirator must be worn when spraying

Eye Protection Clear eye protection (on possibility of contact)

Hand protection Clear PVC chemical resistance protective glove



Gloves



Suit



Goggles



No_Smoking

9. Physical and chemical properties

Product Properties:

Appearance Pale clear liquid

Density In g/cm³ at 20°C: Spec. gravity : 1.035

Compatibility

Metal No known effect

Rubber No known effect

pH Alkaline (12.7 - 13)

Flash point Not Applicable

Solubility 100% soluble in water

Packaging Size (in Litres)

10. Stability and reactivity

Hazardous Decomposition Products Do not occur if stored and used as directed. FIRE combustion CO, CO₂ , NH₃ , SOX etc hazardous gas produced

NOTE : Avoid Contact With Acid

11. Toxicological information

Comment - Not applicable , Emulsifies in water and biodegradable.

12. Ecological information

95 % added surfactants are biodegradable as per by international regulation .This material must be disposed with local national regulations.

13. Disposal considerations

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article.

14. Transport information

Proper Shipping Name

UN

Proper Shipping Name	Alkaline hydroxide, solution
----------------------	------------------------------

UNNo.	1824
-------	------

Hazard Class	8	PackingGroup	II
--------------	---	--------------	----

Road/Rail(ADR/RID)

Proper Shipping Name	Alkaline hydroxide, solution
----------------------	------------------------------

ADR UN No.	1824
------------	------

ADR Hazard Class	8	Tremcard	80S1824
------------------	---	----------	---------

Sea(IMDG)

Proper Shipping Name	Alkaline hydroxide, solution
----------------------	------------------------------

IMDG UN No.	1824
-------------	------

IMDG Hazard Class.	8	IMDG Pack Group.	II
--------------------	---	------------------	----

IMDG EmS	F-A, S-A	IMDG subrisk	N/A
----------	----------	--------------	-----

IMDG Labels	8	IMDG Flash point	N/A
-------------	---	------------------	-----

Air(ICAO/IATA)

Proper Shipping Name	Alkaline hydroxide, solution		
ICAO Un No.	1824		
ICAO Hazard Class	8	ICAO Packing Group.	II
ICAO subrisk	N/A	ICAO Labels	8, CAO
ICAO Flashpoint	N/A		

DOT/ CFR (US Department of Transportation)

DOT Proper Shipping Name	Alkaline hydroxide, solution		
Hazardous Material	Alkaline hydroxide		
Hazard Class	8	Identification Number	UN 1824
Product RQ (lbs)	3640	DOT subrisk	N/A
DOT Labels	8	DOTFlashpoint	N/A

15. Regulatory information

Classification and labelling according to Chemicals Hazard Information and Packaging Regulations (CHIP). Symbols of danger :-
C Corrosive

R phrases R 35 : Causes severe burns

S-phrases S2: Keep out of reach of children S26 :In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 : After contact with skin, wash immediately with plenty of water. S37/39 : Wear suitable gloves and eye/face protection.

16. Other information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our product from the point of view of safety requirements and is not intended to guarantee any particular properties

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.