

Activated Carbon Pellet

Part No. RXSOL-20-3107-271 — Generated 29 Sep 2026

1. Product and Company Identification

Product Name RXSOL-32-3107-271
Product Type Activated Carbon Granular GAC

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

STOCK Point : Mumbai, Kandla, Kolkata, Chennai, Visakhapatnam, Fujairah. Muscat

Phone +91 22 27815541 / 42
Fax +91 22 2781 1318 ::::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / informationon ingredients

HAZARDOUS INGREDIENTS None known.

OTHER INGREDIENTS:	Proprietary Blend	Activated Carbon
CAS NO.	n/a	7440-44-0
% WT	@	@
OVER 3%	no	yes

OSHA PEL: none

ACGIH TLV: n/a

3. Hazards Identification

EMERGENCY OVERVIEW:

Appearance: Black Pellet

Odor: Odorless

POTENTIAL HEALTH EFFECTS

EYES: Slight Irritation may

SKIN: none

INGESTION: Excessive ingestion may cause nausea or gastrointestinal discomfort

INHALATION: NA

ACUTE AND CHRONIC HEALTH HAZARDS: None known.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known.

CARCINOGENICITY

OSHA : NA
IARC : NA
ACGIH : NA
OTHER : NA
NTP : NA

4. First Aid Measures

EYES: Flush eyes thoroughly with running water for 15 minutes while keeping the eyelids wide open.

SKIN: Wash the affected area thoroughly with soap and water. Clean Clothing Consult physician if redness or irritation persists.

INGESTION: Thoroughly rinse mouth with water Drink plenty of fluids Slight gastrointestinal discomfort may occur

INHALATION: NA

5. Fire-fighting Measures

SUITABLE EXTINGUISHING MEDIA	Dry chemical, water fog, foam
EXTINGUISHING MEDIA WHICH MUST NOT BE USED FOR SAFETY REASONS	None
SPECIAL EXPOSURE HAZARDS IN A FIRE	None
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS OTHER INFORMATION	None
OTHER INFORMATION	None

6. Accidental Release Measures

PERSONAL PRECAUTIONS : Follow protective measures provided in sections 5 and 8 Keep away materials and products which are incompatible with product specified in section 10.

ENVIRONMENTAL PRECAUTIONS : Rinse spilled product to dilute areas of direct contact.

METHODS FOR CLEAN UP : Wear suitable clothing and protective equipment Recover or mop up excess material and reuse wherever possible.
Absorb unusable product with suitable material and dispose of in accordance with Section 13. Collect product with suitable means avoiding dust formation.

7. Handling and Storage

HANDLING

Maintain good housekeeping practices

Wash hands after use

Avoid contact with potable water or food

STORAGE

Keep in a dry place

Keep away from direct sunlight

Keep away from heat

Keep away from incompatible products specified in section 10

Keep only in the original container at temperature not exceeding 40C (104F)

8. Exposure controls and personal protection

ENGINEERING CONTROLS:	NA
VENTILATION:	Wear suitable NIOSH approved dust masks or respiratory protector.
RESPIRATORY PROTECTION:	None required
EYE PROTECTION:	ANSI approved safety glasses with side protection or goggles.
SKIN PROTECTION:	Wear suitable protective clothing
HYGIENIC PRACTICES:	Handle in accordance with good hygiene and safety practice.

9. Physical and chemical properties

APPEARANCE:	Black Pelletized
ODOR:	Odorless

pH	NA
BOILING POINT	8721 F
FLASH POINT	Not applicable
MELTING POINT	Not applicable
FLAMMABILITY (SOLID, GAS)	Non flammable
EXPLOSIVE PROPERTIES non-explosive VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
BULK DENSITY	Not available
EVAPORATION RATE:	Not applicable
SOLUBILITY IN WATER:	Complete
DECOMPOSITION TEMPERATURE	Not applicable

GRADE	RX AW-200	RX AW - 250	RX AW - 300	RX AW - 350	RX AW - 400	RX AW - 450
MB VALUE mg/gm	200 (±10)	250 (±10)	300 (± 10)	350 (± 10)	400 (± 10)	450 (± 10)
pH OF 1% WATER EXTRACT	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7	6 to 7
ASH % MAX	4	4	4	4	4	4
SOLUBLE ASH % MAX	1	1	1	1	1	1
IRON ppm MAX	250	200	200	200	200	200
MOISTURE % MAX	5 to 10	5 to 10	5 to 10	5 to 10	5 to 10	5 to 10
ACID SOLUBLE % MAX	2	2	2	2	2	2
WATER SOLUBLE %	1	1	1	1	1	1
L.O.D % MAX	7 to 10	7 to 10	7 to 10	7 to 10	5 to 10	5 to 10
CHLORIDES ppm	USP	USP	USP	USP	USP	USP
% KMnO4 ADSORPTION	55	65	75	85	90	95
IODINE VALUE mg/gm	800 (± 50)	850 (± 50)	1000(± 50)	1100(±50)	1150	1200
METHANOL TEST	No Turbidity	No Turbidity	Passes	Passes	Passes	Passes
PARTICLE SIZE	85 % Passing through 250 mesh size	85 % Passing through 250 mesh size	85 % Passing through 250 mesh size	85 % Passing through 250 mesh size	85 % Passing through 250 mesh size	85 % Passing through 250 mesh size

10. Stability and reactivity

Otherwise Indexed
(NOI)

Not Hazardous

HAZARD CLASS: N o t R e g u l a t e d

ID NUMBER: n / a

LABEL STATEMENT: none

AIR TRANSPORTATION

PROPER SHIPPING NAME: Chemicals Not Otherwise Indexed (NOI) Not Hazardous

HAZARD CLASS: N o t R e g u l a t e d

ID NUMBER: N / A

LABEL : None

15. Regulatory information

Preparation does not contain ingredients listed as a dangerous substance in Annex 1 of the EEC directive 67/548.

16. Other information

KEEP OUT OF REACH OF CHILDREN

Although the information and recommendations set forth in this sheet are believed to be correct as of the date hereof, RX MARINE International.

makes no representation as to the completeness or accuracy of such information and recommendations. RX MARINE International. shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon such information and recommendations. You are encouraged to advise anyone working with or exposed to such products of the information contained herein.

No Warranty, either expressed or implied, of merchantability or fitness or of any other nature with respect to the product or to the information and recommendations herein made hereunder.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This document was generated automatically and may not reflect the latest formulation or regulatory revision. For the most up-to-date, accurate MSDS, please email us at muscatchem@gmail.com.