

Alkaline Cleaner

Part No. RXSOL-20-2022-272 — Generated 29 Sep 2026

1. Product and Company Identification

Product Name	Alkaline Cleaner
Part Number	RXSOL-20-2022-272

Company Details:....

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmarine.com

2. Composition / information on ingredients

Mixtures

Component	Classification	Concentration
sodium hydroxide		
	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318	
CAS-No. 1310-73-2	Concentration limits:	
EC-No. 215-185-5	>= 5 %: Skin Corr. 1A, H314; 2 - 5 %: Skin	>= 3 - 5 %
Index-No. 011-002-00-6	Corr. 1B, H314; 0,5 - 2	
Registration number 01-2119457892-27-XXXX	%: Skin Irrit. 2, H315; 0,5 - 2 %: Eye Irrit. 2, H319; >= 0,4 %: Met. Corr. 1, H290;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

3. Hazards Identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008	Corrosive to Metals (Category 1), H290 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 For the full text of the H-Statements mentioned in this Section, see Section 16.
--	---

Label elements

Signal Word	Danger
Hazard Statements	

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
Precautionary Statements	
P234	Keep only in original packaging.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.
Supplemental Hazard Statements	
	None
	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Other hazards	Ecological information:
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

4. First Aid Measures

Description of first aid measures

General advice	First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

Extinguishing media

Suitable extinguishing media

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical powder or carbon dioxide. Large amounts of water are ineffective. Cool containers with large amounts of water.

Special hazards arising from the substance or mixture

Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides
Potassium oxides
Sodium oxides
Not combustible.
Ambient fire may liberate hazardous vapours.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

Control parameters

Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm

Break through time: 480 min

Material tested: KCL 720 Camapren®

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: 60 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M).

Body Protection

Flame retardant antistatic protective clothing.

Recommended Filter type: Filter A-(P3)

Respiratory protection

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

9. Physical and chemical properties

Physical state	liquid
Colour	No data available
Odor	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Flash point	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available

Vapor pressure	No data available
Density	No data available
Relative density	No data available
Relative vapor density	No data available
Particle characteristics	No data available
Explosive properties	No explosive
Oxidizing properties	No data available
Other safety information	Dissociation constant 10,26 at 25 °C

10. Stability and reactivity

Reactivity	Vapor/air-mixtures are explosive at intense warming.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	Violent reactions possible with: The generally known reaction partners of water.
Conditions to avoid	Heat, flames and sparks. Heating.
Incompatible materials	Oxidizing agents, Oxygen, Copper, Organic materials, Zinc
Hazardous decomposition products	In the event of fire: see section 5

11. Toxicological information

Information on toxicological effects

Acute toxicity	LD50 Oral - Rat - male - 262 mg/kg (OECD Test Guideline 401) Remarks: anhydrous substance Acute toxicity estimate Oral - 262 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male - 4 h - 0,76 mg/l - vapor Remarks: (ECHA) anhydrous substance Acute toxicity estimate Inhalation - 0,76 mg/l - vapor (ATE value derived from LD50/LC50 value) Acute toxicity estimate Dermal - Not tested on animals - 300,1 mg/kg Remarks: Expert judgment
Skin corrosion/irritation	Skin - Rabbit Result: Corrosive - 4 h Remarks: (55% solution) anhydrous substance
Serious eye damage/eye irritation	Remarks: Causes serious eye damage.
Respiratory or skin sensitization	(Regulation (EC) No 1272/2008, Annex VI) (anhydrous substance)
Germ cell mutagenicity	No data available
Carcinogenicity	Presumed to have carcinogenic potential for humans
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Specific target organ toxicity - repeated exposure	No data available

12. Ecological information

Toxicity

Toxicity to fish	Static test LC50 - <i>Poecilia reticulata</i> (guppy) - 0,61 mg/l - 96 h Remarks: (ECHA).
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - <i>Daphnia pulex</i> (Water flea) - 0,16 mg/l - 48 h (US-EPA) Remarks: (in analogy to similar products)
Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 0,017 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.3)
Toxicity to bacteria	static test EC50 - activated sludge - 5,5 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - <i>Daphnia magna</i> (Water flea) - 0,123 mg/l - 21 d (OECD Test Guideline 211)

Persistence and degradability

Bioaccumulative potential	Other adverse effects
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

Product

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

Other adverse effects	No data available
-----------------------	-------------------

13. Disposal considerations

Waste treatment Method	No data available.
------------------------	--------------------

14. Transport information

UN number	ADR/RID:2030	IMDG:2030	IATA: 2030
UN proper shipping name	ADR/RID: HYDRAZINE, AQUEOUS SOLUTION IMDG: HYDRAZINE, AQUEOUS SOLUTION IATA: Hydrazine, aqueous solution Passenger Aircraft: Not permitted for transport		
Transport hazard class(es)	ADR/RID: 8 (6.1)	IMDG: 8 (6.1)	IATA:8 (6.1)
Packaging group	ADR/RID: II	IMDG: II	IATA:II
Environmental hazards	ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
Special precautions for user	No data available		
Further information	No data available		

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

16. Other information

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.