

# Corrosion Inhibitor Admixture CIA 222 Premium

Part No. RXSOL-22-6709-210 — Generated 28 Sep 2026

## 1. Product and Company Identification

Product Name RXSOL-22-6709-210  
Product Type Corrosion Inhibitor Admixture CIA 222 Premium

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

STOCK Point : Mumbai, Kandla, Kolkata, Chennai, Fujairah, Muscat, Kenya, Canada

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / information on ingredients

Proprietary blend of polycarboxylate amines and stabilizers.

## 3. Hazards Identification

### Hazard description:

Information concerning particular hazards for human and environment:  
R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R 34 Causes burns.

## 4. First Aid Measures

|                     |                                                                                                                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General information | Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.                   |
| After inhalation    | Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. |
| After skin contact  | Immediately wash with water and soap and rinse thoroughly.                                                                                                                                                 |
| After eye contact   | Rinse opened eye for several minutes under running water. Then consult a doctor.                                                                                                                           |
| After swallowing    | Call for a doctor immediately. Drink plenty of water and provide fresh air. Call for a doctor immediately.                                                                                                 |

## 5. Fire-fighting Measures

**Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: Mouth respiratory protective device.

## 6. Accidental Release Measures

**Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

**Measures for environmental protection:**

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

## 7. Handling and Storage

**Handling:**

Information for safe handling: Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: No special measures required.

**Storage:**

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

## 8. Exposure controls and personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

**Ingredients with limit values that require monitoring at the workplace:**

141-43-5 2-aminoethanol

|                     |                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------|
|                     | 6 mg/m <sup>3</sup> , 3 ppm                                                                       |
| PEL (USA)           | Short-term value: 15 mg/m <sup>3</sup> , 6 ppm<br>Long-term value: 8 mg/m <sup>3</sup> , 3 ppm    |
| REL (USA)           | Short-term value: 15 mg/m <sup>3</sup> , 6 ppm<br>Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm  |
| TLV (USA)           | Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm<br>Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm |
| IOELV (EU)          | Skin<br>Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm                                           |
| WEL (Great Britain) | Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm<br>Sk                                              |

**Additional information:** The lists valid during the making were used as basis.

**Personal protective equipment:**

**General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

**Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves:** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

## 9. Physical and chemical properties

### General Information

|                                                |                                               |
|------------------------------------------------|-----------------------------------------------|
| Form                                           | Fluid                                         |
| Colour                                         | Colourless                                    |
| pH                                             | 10-12                                         |
| Melting point/Melting range                    | 10.3°C                                        |
| Boiling point/Boiling range                    | 170°C                                         |
| Flash point                                    | 93°C                                          |
| Ignition temperature                           | 385°C                                         |
| Danger of explosion                            | Product does not present an explosion hazard. |
| Vapour pressure at 20°C                        | 0.3 hPa                                       |
| Density at 20°C                                | 0.85985 g/cm <sup>3</sup>                     |
| Solubility in / Miscibility with water at 20°C | 1 g/l                                         |
| <b>Viscosity:</b>                              |                                               |
| Dynamic at 20°C                                | 23 mPas                                       |

## 10. Stability and reactivity

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous reactions No dangerous reactions known.

Dangerous decomposition products: No dangerous decomposition products known.

## 11. Toxicological information

Acute toxicity:

### LD/LC50 values relevant for classification:

|        |          |                     |
|--------|----------|---------------------|
| Oral   | LD50     | 2050 mg/kg (rat)    |
| Dermal | LC50/4 h | 1000 mg/kg (rabbit) |

Primary irritant effect:

on the skin Caustic effect on skin and mucous membranes.

on the eye Strong caustic effect.

Sensitization No sensitizing effects known.

Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12. Ecological information

**General notes:** Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralized.

## 13. Disposal considerations

**Product:**

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:**

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

## 14. Transport information

### Land transport ADR/RID (cross-border)

|                      |                         |
|----------------------|-------------------------|
| ADR/RID class        | 8 Corrosive substances. |
| Danger code (Kemler) | 80                      |
| UN-Number            | 2491                    |
| Packaging group      | III                     |
| Hazard label         | 8                       |
| Description of goods | 2491                    |

### Maritime transport IMDG

|                  |         |
|------------------|---------|
| IMDG Class       | 8       |
| UN Number        | 2491    |
| Label            | 8       |
| Packaging group  | III     |
| EMS Number       | F-A,S-B |
| Marine pollutant | No      |

### Air transport ICAO-TI and IATA-DGR

|                 |      |
|-----------------|------|
| ICAO/IATA Class | 8    |
| UN/ID Number    | 2491 |
| Label           | 8    |
| Packaging group | III  |

## 15. Regulatory information

**Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

**Risk phrases:**

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

34 Causes burns.

**Safety phrases:**

1/2 Keep locked up and out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## 16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

---

This document was generated automatically and may not reflect the latest formulation or regulatory revision. For the most up-to-date, accurate MSDS, please email us at [muscatchem@gmail.com](mailto:muscatchem@gmail.com).