

# Salt Remover Passivation Liq

Part No. RXSOL-10-1011-025 — Generated 28 Sep 2026

## 1. Product and Company Identification

Product Name RXSOL-38-1011-025  
Product Type Super Dilac Acidic low foaming Detergent METALS CLEAN BRITTE

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Ennore, Visakhapatnam, Kolkata, Haldia, Fujairah UAE, Muscat, Nairobi

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 ::::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / information on ingredients

Ethoxylated Fatty alcohol, Proprietary blend Phosphoric ACID based compound with Linear Alkyl derivative remaining which is not in the list of hazardous materials .

## 3. Hazards Identification

Odour Odourless

Appearance Liquid, pale yellow, soluble in water

Contact with eyes Can cause damage to the eyes

Contact with skin Causes burns (R34)

Inhalation Vapours or aerosols may cause irritation of eyes, nose and respiratory tract, Can cause damage to the lungs

Ingestion The ingestion of significant quantities may cause damage to digestive system

## 4. First Aid Measures

INHALATION After inhalation medical attention require

SKIN contact In case of contact with skin , wash immediately with plenty of water and soap Remove contaminated clothes.

EYE contact Flush with running water for at least 15 minutes Immediately medical attention require.

INGESTION seek medical attention , try to drink more plenty of fresh water.

## 5. Fire-fighting Measures

Non combustible product

|                              |                                                                                             |
|------------------------------|---------------------------------------------------------------------------------------------|
| Suitable                     | Not known , on direct exposure to heat dangerous emission of gas of COx SOx can be released |
| Not suitable                 | Not applicable                                                                              |
| Special                      | Not applicable                                                                              |
| Protection of fire Fighter   | Not applicable                                                                              |
| Precaution for fire-fighters | Wear protective equipment with breathing apparatus.                                         |

## 6. Accidental Release Measures

|                          |                                                                                                                                                                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental Precaution | Direct flow into drainage system, surface or ground water is prohibited. First of all neutralize with alkaline materials like lime powder for pH balancing between 6-10. |
| Cleaning Method          | Flush Spill Area with Water and avoid contact with skin and eye.                                                                                                         |

## 7. Handling and Storage

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Condition to Avoid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Non flammable but avoid direct heating  |
| Materials to Avoid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Do not subject to ALKALINE medium.      |
| Handling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Keep Container Tightly Closed           |
| NOTE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Eyewash facilities require at workplace |
| <p>The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser . For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website <a href="http://www.rxmarine.com">www.rxmarine.com</a></p> <ul style="list-style-type: none"> <li>• Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSOL.)</li> </ul> |                                         |

## 8. Exposure controls and personal protection

|                               |                                                |
|-------------------------------|------------------------------------------------|
| Personal protection:          |                                                |
| Respiratory System Protection | Approved respirator must be worn when spraying |
| Eye Protection                | Strictly wear eye protection                   |
| Hand protection               | wear PVC chemical resistance protective gloves |

## 9. Physical and chemical properties

|            |                                                               |
|------------|---------------------------------------------------------------|
| Appearance | Clear liquid Slightly HAZY                                    |
| Density    | g/cm <sup>3</sup> at 15°C: 1.18 – 1.28 gram / cm <sup>3</sup> |
| pH         | 10% solution 1.5-2.5                                          |

|               |                                         |
|---------------|-----------------------------------------|
| Flash Point   | Not applicable                          |
| Compatibility |                                         |
| Metal         | Concentrate and long touch may corrode. |
| Rubber        | No known effect                         |

## 10. Stability and reactivity

|                        |                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------|
| Decomposition Products | Do not occur if stored and used as directed. In FIRE combustion CO, CO2 , NH3 , SOX etc gas produced. |
| NOTE                   | AVOID CONTACT WITH ALKALINE SUBJECT.                                                                  |

## 11. Toxicological information

|                  |                         |
|------------------|-------------------------|
| Skin Irritation  | Cause severe irritation |
| Eye Irritat      | Cause severe irritation |
| Sensitization    | Cause Sensitizing       |
| Chronic Toxicity | Not Identified          |
| Carcinogenicity  | No.                     |

## 12. Ecological information

RXSOL-16-1011-025 is biodegradable .

## 13. Disposal considerations

As per guide line of local rules and regulation

## 14. Transport information

|                                           |                           |
|-------------------------------------------|---------------------------|
| Transport over land ADR/RID               | 1805 8/11c 8/11c          |
| Transport over inland waterways ADN/ADNR  |                           |
| Transport over sea IMDG                   | 8                         |
| Transport by air ICAO/IATA                | 8/1805                    |
| Diluted Food Grade Phosphoric acid<br>sea | EMS 8-08, MFAG 700 PG III |

## 15. Regulatory information

Classification and labelling according to 4. Novelle Gefahrstoff-Verordnung

|                   |                         |
|-------------------|-------------------------|
| Symbols of danger | C Corrosive             |
| Ingredients       | Diluted Phosphoric acid |

|                          |                                                                                                                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R-phrases                | R34 : Cause burns                                                                                                                                                                    |
| S-phrases                | S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45 : In case of accident or if you feel unwell, seek medical advice immediately |
| National prescriptions   |                                                                                                                                                                                      |
| Water hazard class (WGK) | 2 (self classification on the basis of component assessments or analogy conclusions without addition/subtraction of points for good/poor biodegradability etc.)                      |

## 16. Other information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable

---

This document was generated automatically and may not reflect the latest formulation or regulatory revision. For the most up-to-date, accurate MSDS, please email us at [muscatchem@gmail.com](mailto:muscatchem@gmail.com).